

Skin Tough: secret of the resistance to tearing

Posted on April 1, 2015



39,349 science & technology articles

- Print
- Twitter
- Facebook
- Email
- Gmail
- Favorites
- Google
- More... (293)
- Settings...
- AddThis
- Privacy

Geoscience & environment

Economics & social

Other news

OUR ARTICLES (see all)

A Heated Tool To Retouch 3D Prints (Apr 3)

A USB Charger In The Coverplate (Apr 2)

Exercise May Outweigh the Harmful Effects of Urban Air Pollution (Mar 31)

570S – most useable and affordable McLaren (Mar 31)

kSafe – lock your temptations, motivate your goals (Mar 31)

GENERAL NEWS

ESA's planetary defence test set for 2020 (Apr 4)

LHC restart back on track (Apr 4)

Astronomers watch unfolding saga of massive star formation (Apr 4)

Suzaku studies supernova 'crime scene,' shows a single white dwarf to blame (Apr 4)

Personalized melanoma vaccines marshal powerful immune response (Apr 3)

Hubble finds phantom objects near dead quasars (Apr 3)

Plants Use Sixth Sense for Growth Aboard the Space Station (Apr 3)


NASA's Space Launch System to Boost Science with Secondary Payloads (Apr 3)

FOLLOW US



FEATURED VIDEO (see all)

When weighing the pluses and minuses of your skin add this to the plus column: Your skin – like that of all vertebrates – is remarkably resistant to tearing. Now, a collaboration of researchers at the U.S. Department of Energy (DOE)'s Lawrence Berkeley National Laboratory (Berkeley Lab) and the University of California (UC) San Diego has shown why.




(Left) Collagen fibrils in the dermis of the skin are normally curvy and highly disordered, but (right) in response to a tear align themselves with the tension axis (arrow) to resist further damage

Making good use of the X-ray beams at Berkeley Lab's Advanced Light Source (ALS), the collaboration made the first direct observations of the micro-scale mechanisms behind the ability of skin to resist tearing. They identified four specific mechanisms in collagen, the main structural protein in skin tissue, that act synergistically to diminish the effects of stress.

"Collagen fibrils and fibers rotate, straighten, stretch and slide to carry load and reduce the stresses at the tip of any tear in the skin," says Robert Ritchie of Berkeley Lab's Materials Sciences Division, co-leader of this study along with UC San Diego's Marc Meyers. "The movement of the collagen acts to effectively diminish stress concentrations associated with any hole, notch or tear."

Ritchie and Meyers are the corresponding authors of a paper in *Nature Communications* that describes this study. The paper is titled "[On the tear resistance of skin](#)." The other authors are Wen Yang, Vincent Sherman, Bernd Gludovatz, Eric Schaible and Polite Stewart.



Sequence of images showing how skin when torn does not propagate but progressively yawns open under tensile loading.

Who among us does not pay close attention to the condition of our skin? While our main concern might be appearance, skin serves a multitude of vital purposes including protection from the environment, temperature regulation and thermal energy collection. The skin also serves as a host for embedded sensors.

Skin consists of three layers – the epidermis, dermis and endodermis. Mechanical properties are largely determined in the dermis, which is the thickest layer and is made up primarily of collagen and elastin proteins. Collagen provides for mechanical resistance to extension, while elastin allows for deformation in response to low strains.

Studies of the skin's mechanical properties date back to 1831 when a physician investigated stabbing wounds that the victim claimed were self-inflicted. This eventually led to scientists characterizing skin as a nonlinear-elastic material with low strain-rate sensitivity. In recent years research has focused on collagen deformation but with little attention paid to tearing even though skin has superior tear-resistance to other natural materials.

"Our study is the first to model and directly observe in real time the micro-scale behavior of the collagen fibrils associated with the skin's remarkable tear-tearing resistance," Ritchie says.

Ritchie, Meyers and their colleagues performed mechanical and structural characterizations during *in situ* tension-loading in the dermis. They did this through a combination of images obtained via ultrahigh-resolution scanning and transmission electron microscopy, and small-angle X-ray scattering (SAXS) at ALS beamline 7.3.3.

"The method of SAXS that can be done at ALS beamline 7.3.3 is ideal for identifying strains in the collagen fibrils and watching how they move," Ritchie says.

The research team began their work by establishing that a tear in the skin does not propagate or induce fracture, as does damage to bone or tooth dentin, which are comprised of mineralized collagen fibrils. What they demonstrated instead is that the tearing or notching of skin triggers structural changes in the collagen fibrils of the dermis layer to reduce the stress concentration. Initially, these collagen fibrils are curvy and highly disordered. However, in response to a tear they rearrange themselves towards the tensile-loading direction, with rotation, straightening, stretching, sliding and delamination prior to fracturing.

"The rotation mechanisms recruit collagen fibrils into alignment with the tension axis at which they are maximally strong or can accommodate shape change," says Meyers. "Straightening and stretching allow the uptake of strain without much stress increase, and sliding allows more energy dissipation during inelastic deformation. This reorganization of the fibrils is responsible for blunting the stress at the tips of tears and notches."

This new study of the skin is part of an on-going collaboration between Ritchie and Meyers to examine how nature achieves specific properties through architecture and structure.

"Natural inspiration is a powerful motivation to develop new synthetic materials with unique properties," Ritchie says. "For example, the mechanistic understanding we've identified in skin could be applied to the improvement of artificial skin, or to the development of thin film polymers for applications such as flexible electronics."

Source: LBL

0 0 0

RELATED TOPICS:

- fiber (12)
- skin (77)
- strength of materials (67)

YOU MAY ALSO READ THIS:

Skin's own cells offer new hope for skin repair

0 Comments

Technology Org

Login

Recommend

Share

Sort by Best

Start the discussion...

Be the first to comment.

Subscribe

Add Disqus to your site


Privacy



Why "hypoallergenic" isn't a thing

It's a simple claim made on thousands of personal care products for adults and kids: hypoallergenic. But what...

FEATURED IMAGE (see all)



Hall Thruster: Pushing the Boundaries of Propelling Deep Space Missions

Engineers at NASA's Glenn Research Center are advancing the propulsion system that will propel the first ever mission...